

Forma 5

EPD Environmental Product Declaration



Program DOT.PRO
REF: SDT21
Dimensions: 69cmx102,5cmx47,5cm

This office chair is designed for workstations, with a polypropylene seat and a black mesh backrest that includes lumbar support. It features a STAR-type swivel base, equipped with a set of casters and a steel piston with a lever for height adjustment. It also incorporates a Synchro Motion mechanism for greater comfort and ergonomics.

RAW MATERIALS USED (PACKAGING INCLUDED)

	Kg of raw materials included in the product	% of raw materials included in the product
STEEL	9,18	45%
PLASTIC	4,69	23%
ALUMINUM	3,26	16%
WOOD	2,45	12%
UPHOLSTERED	0,81	4%
Total	20,39	100%

% Recycled Materials: 49%
% Recyclable Materials: 94%

This Program Dot.pro Environmental Product Declaration have been calculated and drafted in accordance with ISO14025 Type III standard, and based on "PCR 2012-19, Furniture, except seats and mattresses" version 2.01.

DOT PRO CHAIR, life cycle information

FUNCIONAL UNIT

The functional unit consists of an Dot pro chair operating for a 15-year useful life.

SYSTEM LIMITS

The limits of the system include raw material, production (includes processes and facility maintenance), transportation, packaging, distribution, use, and end-of-life of both packaging and product.

SYSTEM SCOPE

The scope of the system includes the whole life cycle of the product, from obtaining the raw material, manufacturing, use and end of life. The system has been divided into three phases:

- UPSTREAM: including raw materials production
- CORE: including raw material transport to Forma5 (Spain, Seville), product manufacturing process and waste treatment.
- DOWNSTREAM: Distribution to the customer, maintenance, use of the product and both the end of life of the product and the packaging has been included.

CERTIFICATES

- ISO 9001:2015
- ISO 14001:2015
- ISO 14006:2011
- ISO 45001:2018
- MARCA DE CALIDAD TECNALIA

Grupo Forma 5., S.L.u.
Made in Spain, UE.


Report drafted by: Luis Carlos González Valencia.
Industrial technical engineer by University of Sevilla
Official College of Technical Engineers of Sevilla (COGITISE).
Membership number: 9129.

IMPACTS PER CATEGORIES

EPD 2018 ¹ Categorías indicadores	Unidad	CORE Impact result	UPSTREAM Impact result	DOWNSTREAM Impact result	TOTAL
Abiotic depletion, elements	kg Sb eq	7,83E+02	3,43E+01	8,45E+01	9,02E+02
Acidification (fate not incl.)	kg SO ₂ eq	16,17E-04	19,73E-06	2,66E-03	38,56E-06
Photochemical oxidation	kg NMVOC	13,96E-02	11,31E-06	5,05E-03	30,32E-06
Eutrophication	kg PO ₄ --- eq	9,24E-05	13,07E-08	9,57E-05	31,88E-08
Climate Change(Carbon Footprint)	kg CO ₂ eq	15,86E+01	11,6E+04	6,26E+01	33,72E+04
Abiotic depletion, fossil fuels	Kg pet eq	14,3E+01	11,79E-04	8,46E-02	34,55E+04
Ozone layer depletion (ODP) (optional)	kg CFC-11 eq	18,09E-09	6,29E-010	8,95E-08	33,33E-010
Water scarcity	m ³ eq	16,38E-03	8,73E-06	11,24E-04	36,35E+06

Table 1. Impacts per Categories in Dot pro chair family.

CLIMATE CHANGE (CARBON FOOTPRINT)




Phase	Unit	Total
Upstream	kg CO ₂ eq	15,86E+01
Core	kg CO ₂ eq	11,6E+01
Downstream	kg CO ₂ eq	6,26E+00

¹ This method is the successor of EPD (2013) and is intended for the creation of Environmental Product Declarations (EPDs), as published on the website of the Swedish Environmental Management Council (SEMC). For more information see also General programmer instructions for the international EPD System 3.0 of 11 December 2017. The latest update to the recommendations included in this method is from 2018-06-08 (adding Water Scarcity Footprint). Contact info: <http://www.environdec.com/>.

Forma 5


EPD Environmental Product Declaration

OZONE LAYER DEPLETION




Phase	Unit	Total
Upstream	kg CFC-11 eq	18.09E-06
Core	kg CFC-11 eq	6.29E-07
Downstream	kg CFC-11 eq	8.95E-02

ACIDIFICATION



Phase	Unit	Total
Upstream	kg SO2 eq	16.17E-01
Core	kg SO2 eq	19.73E-02
Downstream	kg SO2 eq	2.66E-02

EUTROPHICATION




Phase	Unit	Total
Upstream	kg PO4--- eq	1,823E-02
Core	kg PO4--- eq	4,661E-03
Downstream	kg PO4--- eq	2,287E-03

Forma 5


EPD Environmental Product Declaration

PHOTOCHEMICAL OXIDATION




Phase	Unit	Total
Upstream	kg Sb eq	13.96E-01
Core	kg Sb eq	11.31E-02
Downstream	kg Sb eq	5.05E-02

ABIOTIC DEPLETION




Phase	Unit	Total
Upstream	Kg Sb eq	3,43E+01
Core	Kg Sb eq	7,83E+02
Downstream	Kg Sb eq	8,45E+01

WATER SCARCITY



Phase	Unit	Total
Upstream	kg NMVOC	16.38E-01
Core	kg NMVOC	8.73E+00
Downstream	kg NMVOC	11.24E-01

ABIOTIC DEPLETION FOSSIL FUELS



Phase	Unit	Total
Upstream	m3 eq	14.3E+02
Core	m3 eq	11.79E+03
Downstream	m3 eq	8.46E+02

USE OF RESOURCES

RESOURCES	Unit	CORE	UPSTREAM	DOWNSTREAM
Products				
Energy non renewable	MJ	21,11E+02	7,05E+03	6,02E+00
Energy renewable	MJ	20,42E+03	6,79E+03	7,89E-02
Water resources	m³	6,42E+01	20,46E-05	6,15E+02
Recovered water	%	100%	100%	100%
Materials	Kg	12,76E+02	8,71E-03	9,84E+01
Fresh water used	m³	15,88E-04	7,32E-07	3,84E-05

CATEGORIES OF WASTE AND OUTPUT FLOWS

RESOURCES	Unit	CORE	UPSTREAM	DOWNSTREAM
Products				
Hazardous waste	kg	15,85E-03	15,23E-06	6,17E-04
Non-hazardous waste	kg	0,00E+00	0,00E+00	0,00E+00
Radioactive waste	kg	10,52E-06	14,64E-10	12,09E-08