


Forma 5

TECHNICAL FEATURES

# PEDESTAL MELAMINE MOBILE



# MELAMINE MOBILE PEDESTAL



## DIMENSIONS



Width	43 cm
Depth	53 cm
Height	59 cm



Width	33 cm
Depth	53 cm
Height	59 cm

## ELEMENT DESCRIPTION

### MELAMINE PEDESTAL

#### TOP AND LATERALS

19 mm thick melamine particle board. The thermofused edge with 2 mm thickness in all ceiling, 1,2 mm thickness in the lateral fronts and 0,5 mm in the top, rear and inside laterals.. Drilled for a perfect assembly.

#### FLOOR

25 mm thick melamine particle board. 1,2 mm thick thermofused edges at the front. Drilled for a perfect assembly.

#### BACK SIDE

10 mm thick melamine particle board. 0,5 mm thick thermofused edges around the perimeter. The back panel is fixed to the laterals with glue.

#### DRAWERS

Metal drawer for 43 width, with or without anti-return, and guides with metal ball slides which facilitate the movement. The guides have mounting tabs to facilitate the assembly. The lock slide is on the inner side of the frameworks. Thermoplastic drawer for 43 and 33 width without anti-return. The slides include tabs for a quick assembly, which are put on omega's fixed to the laterals. The lock slide is on the inner side of the frameworks. 19 mm thick melamine particle board drawer fronts and 0,5 mm thick thermofused edges around the perimeter. Extruded aluminium handles.

#### PAD

5 mm thick melamine particle board, covered by a flexible 30 kg/m<sup>3</sup> density and upholstered polyurethane foam. It is supported on the back surface with a foamed anti-slip that prevents its displacement. Only available for 43 width.



### DETAILS



Fixed file hanger.










Support caster.




Double mobile pedestal with optional pad.

# CONFIGURATIONS AND DIMENSIONS

## PEDESTALS - MELAMINE MOBILE PEDESTALS

 <p>A:43 B:53 h:59</p>	MOBILE PEDESTAL - DRAWER + FILE DRAWER	A x B x h	43 x 53 x 59
 <p>A:43 B:53 h:59</p>	MOBILE PEDESTAL - 3 DRAWERS	A x B x h	43 x 53 x 59
 <p>A:43 B:53 h:59</p>	MOBILE PEDESTAL - 3 DRAWERS WITHOUT HANDLES	A x B x h	43 x 53 x 59
 <p>A:43 B:53 h:59</p>	MOBILE PEDESTAL - DRAWER + FILE DRAWER WITHOUT HANDLES	A x B x h	43 x 53 x 59
 <p>A:33 B:53 h:59</p>	MOBILE PEDESTAL OF 33 WIDTH - DRAWER + FILE DRAWER	A x B x h	33 x 53 x 59
 <p>A:33 B:53 h:59</p>	MOBILE PEDESTAL OF 33 WIDTH - 3 DRAWERS	A x B x h	33 x 53 x 59
 <p>A:140 B:37 h:57</p>	DOUBLE MOBILE PEDESTAL	A x B x h	140 x 37 x 57 140 x 37 x 57



Life Cycle Analysis  
**Pedestals**



RAW MATERIALS		
Raw Material	Kg	%
Steel	16,05 Kg	40 %
Plastic	4,012 Kg	10%
Wood	19,66 Kg	49%
Upholstery/ Foam	0,39 Kg	1%

% Recycled materials= 55%  
 % Recyclable materials= 99%

## Ecodesign

Results reached during the life cycle stages



### MATERIALS

**Steel**  
 15%-99% recycled material.

**Wood**  
 70% of the wood material is recycled, has PEFC/FSC and complies within the E1 standard.

**Plastic**  
 30%-40% recycled material.

**Paintings**  
 Podwer painting without COV emissions.

**Packings**  
 100% recyclable with inks with no solvents.

# PRODUCT ENVIRONMENTAL STATEMENT



## PRODUCTION

### Raw materials use optimization

Board, upholstery and steel tubes cut.

### Renewable energies use

reducing the CO2 emissions. (Photovoltaic pannels)

### Energy saving measures

in all production process

### COV global emission reduction

of the production processes by 70%.

### Glue removal from the upholstery

#### The facilities

have an internal sewage for liquid waste.

#### Green points

at the factory

### 100% waste recycling

at production process and dangerous waste special treatment.



## TRANSPORT

### Cardboard use optimization

of the packings

### Cardboard and packing materials use reduction

### Flat packings and small bulks

to optimize the space.

### Solid waste compacter

which reduces transport and emissions.

### Light volumes and weights

### Transport fleet renewal

reducing by 28% the fuel consumption.

### Suppliers area reduction

Local market power and less pollution at transport.



## USE

### Easy maintenance and cleaning

without solvents.

### Forma 5 guarantee

### The highest quality

for materials to provide a 10 year average life of the product.

### Useful life optimization

of the product due to a standardized and modular design.

### The boards

with no E1 particle emission.



## END LIFE

### Easy unpacking

for the recyclability or compound reuse.

### Piece standardization

for the use.

### Recycled materials used for products

#### (% recyclability):

Steel is 100% recyclable.

Wood is 100% recyclable.

Plastics is 100% recyclable.

### With no air or water pollution

while removing waste.

### Returnable, recyclable and reusable packing

### Product recyclability 99%

# MAINTENANCE AND CLEANING GUIDE

---

## MELAMINE PIECES

---

Rub the dirty spots with a wet cloth with PH neutral soap.

---

## PLASTIC PIECES

---

Rub the dirty spots with a wet cloth with PH neutral soap.

---

## METAL PIECES

---

- 1 Rub the dirty areas with a wet cloth with PH neutral soap.
- 2 Polished aluminium pieces can have their polish back by covering and rubbing them with a dry cotton cloth.

Do not use abrasive products in any case.

## LEGAL TERMS

---

### CERTIFICATES

---

Forma 5 certifies that the melamine pedestal program has passed all tests provided by our intern Quality Department, as well as the Technological Research Center CIDEMCO with satisfactory results:

UNE EN 14073-2:2005: "Office Furniture. Storage furniture. Part 2: security requirements".

UNE EN 14073-3:2005: "Office Furniture. Storage furniture. Part 3: Test methods to determine the structure stability and resistance".

UNE EN 14074:2005: "Office Furniture. Desks and storage furniture. Test methods to determine the mobile parts resistance and durability".

Developed by FORMA 5 R&D