

Forma 5

TECHNICAL FEATURES METAL PEDESTAL



METAL PEDESTAL I 43 CM WIDTH





ELEMENT DESCRIPTION

METAL PEDESTAL

FRAMEWORK: ENCLOSURE, FLOOR AND TOP

0,8 and 1,2 mm thick cold laminated steel, with a low carbon content. 100 microns epoxy paint. Welded together through points.

DRAWERS

Metal drawer for 43 width, with or without anti-return, and guides with metal ball slides which facilitate the movement. The guides have mounting tabs to facilitate the assembly. The lock slide is on he inner side of the frameworks. Thermoplastic drawer for 33 width without anti-return. The slides include tabs for a quick assembly, which are put on omegas fixed to the laterals. The lock slide is on he inner side of the frameworks.



DRAWER FRONTS

METAL: 2 pieces (front and inside front) welded together. 0,8 mm thick cold laminated steel. Low carbon content. 100 microns thick black epoxy painting. Fixed to the drawers with screws. Caps included to avoid noises.

PAD

5 mm thick melamine particle board, covered by a flexible 30 kg/m³ density and upholstered polyurethane foam. It is supported on the buc surface with a foamed anti-slip that prevents its displacement.

Only available for 43 width.

DETAILS







Support caster.



2 locking casters (metal pedestal).

CONFIGURATIONS AND DIMENSIONS

PEDESTALS - METAL MOBILE PEDESTALS

h:59 B:53	MOBILE PEDESTAL - 3 DRAWERS	A x B x h	43 x 53 x 59
h:59 B:53	MOBILE PEDESTAL - DRAWER + FILE DRAWER	AxBxh	43 x 53 x 59
h:59 B:53	MOBILE PEDESTAL OF 33 WIDTH - 3 DRAWERS	A x B x h	33 x 53 x 59
h:59 B:53	MOBILE PEDESTAL OF 33 WIDTH - DRAWER + FILE DRAWER	A x B x h	33 x 53 x 59



Life Cycle Analysis **METAL PEDESTAL Program**



RAW MATERIALS				
Raw Materials	Kg	%		
Steel	23,56 Kg	90%		
Plastic	2,61 Kg	10%		

% Recycled material= 55%

% Recyclable materials= 99%

Ecodesign

Results reached during the life cycle stages



 $\mbox{Wood}\mbox{}70\%$ of the wood material is recycled, has PEFC/FSC and complies within the E1 standard.

Steel 15%-99% recycled material.

Upholstered / Filling materialFilling without HCFC and upholsteries without COVs emisions. Accredited by Okotext.

30%-40% recycled material.

Paintings

Podwer painting without COV emissions

Packings

100% recyclable with inks with no solvents.

PRODUCT ENVIRONMENTAL STATEMENT





PRODUCTION

Raw materials use optimization Board, upholstery and steel tubes cut.

Renewable energies use reducing the CO2 emissions. (Photovoltaic pannels)

Energy saving measures in all production process

COV global emission reduction of the production processes by 70%.



Cardboard use opmitization of the packings

Cardboard and packing materials use reduction

Flat packings and small bulks to optimize the space.

Solid waste compacter which reduces transport and emissions.

Light volumes and weights

Transport fleet renewal reducing by 28% the fuel consumption.

Podwer painting ecovery of 93% of the non deposited painting

Glue removal from the upholstery

have an internal sewage for liquid waste.

100% waste recycling at production process ans dangerous waste special treatment.

The facilities

Green points

at the factory

Suppliers area reduction
Local market power and less pollution at transport.



Easy maintenance and cleaning without solvents.

Forma 5 guarantee

The highest quality for materials to provide a 10 year average life of the product.

Useful life optimization of the product due to a standarized and modular design.

The boards with no E1 particle emission.



Easy unpacking for the recyclability or compound reuse.

Piece standarization for the use.

Recycled materials used for products (% recyclability):
Wood is 100% recyclable.
Steel is 100% recyclable.

With no air or water pollution while removing waste.

Returnable, recyclable and reusable packing

Product recyclability 99%

MAINTENANCE AND CLEANING GUIDE

METAL PIECES Rub the dirty spots with a wet cloth with PH neutral soap. PLASTIC PIECES Rub the dirty spots with a wet cloth with PH neutral soap. PLASTIC PIECES Rub the dirty spots with a wet cloth with PH neutral soap. GLASS PIECES Rub the dirty spots with a wet cloth with PH neutral soap. GLASS PIECES Rub the dirty spots with a wet cloth with PH neutral soap. CERTIFICATES Forma 5 certifies that the Metal Storage program has passed all tests provided by our intern Quality Department and the Technological Research Center (CIDEMCO)

UNE EN 14073-2:2005: "Office furniture. Storage cabinets. Part 2: Security requirements".

with "satisfactoru" results:

UNE EN 14073-3:2005: "Office furniture. Storage cabinets. Part 3: Testing methods to determine the structure stability and resistance".

UNE EN 14074:2005: "Office furniture. Desks and storage cabinets. Testing methods to determine the structure stability and resistance of moving parts"

Developed by FORMA 5 R&D

Forma 5 Almacenaje metálico | 07